

**FIFTEENTH ANNUAL CONFERENCE**

# **YUCOMAT 2013**

Hunguest Hotel Sun Resort Herceg Novi, Montenegro,  
September 2-6, 2013  
<http://www.mrs-serbia.org.rs>

## **Programme and The Book of Abstracts**

Organised by:  
**Materials Research Society of Serbia**

under the auspices of  
**Federation of European Material Societies  
and  
Materials Research Society**

**Title:** THE FIFTEENTH ANNUAL CONFERENCE  
**YUCOMAT 2013**  
Programme and The Book of Abstracts

**Publisher:** Materials Research Society of Serbia  
Knez Mihailova 35/IV, 11000 Belgrade, Serbia  
Phone: +381 11 2185-437; Fax: + 381 11 2185-263  
<http://www.mrs-serbia.org.rs>

**Editors:** Prof. Dr. Dragan P. Uskoković and Prof. Dr. Velimir Radmilović

**Technical editor:** Aleksandra Stojičić

**Cover page:** Aleksandra Stojičić and Milica Ševkušić

**Copyright** © 2013 Materials Research Society of Serbia

**Acknowledgments:**



**Printed in:** Biro Konto  
Sutorina bb, Igalo – Herceg Novi, Montenegro  
Phones: +382-31-670123, 670025, E-mail: [bkonto@t-com.me](mailto:bkonto@t-com.me)  
Circulation: 220 copies. The end of printing: August 2013

O.S.A.1.

## ROUTES AND PATHWAYS TO SMALL PARTICLES BASED ON HYDROXYAPATITE

N. Ignjatović<sup>1</sup>, S. Vranješ-Djurić<sup>2</sup>, Ž. Mitić<sup>3</sup>, D. Janković<sup>2</sup>, D. Uskoković<sup>1</sup>

<sup>1</sup>Centre for Fine Particles Processing and Nanotechnologies, Institute of Technical Sciences of SASA, Belgrade, Serbia, <sup>2</sup>Laboratory for radioisotopes, Vinča Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia, <sup>3</sup>University of Niš, Faculty of Medicine, Department of Pharmacy, Niš, Serbia

Nanoparticles based on hydroxyapatite (NPs) have many useful physicochemical and biological properties, such as easy preparation and modification, as well as biocompatibility, which make them suitable for transport and unloading of various pharmaceuticals. Hydroxyapatite nanoparticles coated with bioresorbable polymers have been successfully used as carriers of antibiotics and vitamins in bone tissue engineering.

In this study, we have investigated the synthesis of nanoparticles of hydroxyapatite and hydroxyapatite coated with chitosan and the chitosan-poly-D,L-lactide-co-glycolide polymer blend. The influence of the processing technique on the structure and characteristics of the obtained particles was studied by X-ray diffraction (XRD), particle size distribution analysis (PSD), Fourier transform infrared spectroscopy (FTIR), zeta potential analysis (ZP) and scanning electronic microscopy (SEM). In applied research, an appropriate radioisotope (Iodine-125) was selected and it was used to label particles. The *in vivo* biodistribution of <sup>125</sup>I-labeled particles were studied in healthy Wistar rats following intravenous administration.

The XRD, FT-IR and ZP analyses have confirmed that the hydroxyapatite particles with  $d_{50}=72$  nm are coated with chitosan and the chitosan-poly-D,L-lactide-co-glycolide polymer blend. <sup>125</sup>I-labeled particles showed completely different behaviour *in vivo*: hydroxyapatite particles have the highest liver accumulation 10 min after injection but rapid excretion from the body without residual radioactivity 24 hours after injection; chitosan coated hydroxyapatite particles have the highest accumulation in the liver 10 min after injection with considerable amount (almost 50 %) retained 24 hours later; hydroxyapatite particles coated with the chitosan-poly-D,L-lactide-co-glycolide polymer blend have the highest uptake in the lungs 10 minutes after injection and moderate retention in the same organ 24 hours later.