

FIFTEENTH ANNUAL CONFERENCE

YUCOMAT 2013

Hunguest Hotel Sun Resort Herceg Novi, Montenegro,
September 2-6, 2013
<http://www.mrs-serbia.org.rs>

Programme and The Book of Abstracts

Organised by:
Materials Research Society of Serbia

under the auspices of
**Federation of European Material Societies
and
Materials Research Society**

Title: THE FIFTEENTH ANNUAL CONFERENCE
YUCOMAT 2013
Programme and The Book of Abstracts

Publisher: Materials Research Society of Serbia
Knez Mihailova 35/IV, 11000 Belgrade, Serbia
Phone: +381 11 2185-437; Fax: + 381 11 2185-263
<http://www.mrs-serbia.org.rs>

Editors: Prof. Dr. Dragan P. Uskoković and Prof. Dr. Velimir Radmilović

Technical editor: Aleksandra Stojičić

Cover page: Aleksandra Stojičić and Milica Ševkušić

Copyright © 2013 Materials Research Society of Serbia

Acknowledgments:



Printed in: Biro Konto
Sutorina bb, Igalo – Herceg Novi, Montenegro
Phones: +382-31-670123, 670025, E-mail: bkonto@t-com.me
Circulation: 220 copies. The end of printing: August 2013

P.S.E.24.

SCANNING ELECTRON MICROSCOPY STUDY OF CHANGES IN NANOPARTICLES SURFACE UNDER *IN VITRO* SIMULATED PHYSIOLOGICAL CONDITIONS

S. Stojanović¹, Ž. Mitić², S. Najman¹, N. Ignjatović³, D. Uskoković³

¹University of Niš, Faculty of Medicine, Institute of Biology and Human Genetics, Niš, Serbia;

²University of Niš, Faculty of Medicine, Department of Pharmacy, Niš, Serbia; ³Institute for Technical Sciences of the SASA, Belgrade, Serbia

In this study we observed the changes in surface of nanoparticles of two different nanomaterials, cobalt-substituted hydroxyapatite (CoHAp) and calcium phosphate/poly-(DL-lactide-co-glycolide) (CP/PLGA) that occurred under simulated physiological conditions *in vitro*. Both nanomaterials were incubated in an appropriate volume of Dulbecco's Modified Eagle Medium (DMEM) for 3 days at 37 °C and then the medium was removed and materials were dried. Surface changes of nanoparticles were studied by scanning electron microscopy (SEM). Results of SEM analysis show that changes in the size and shape of the nanoparticles took place. These changes can be explained by interactions of nanomaterials with DMEM. In the case of CP/PLGA it was probably the result of polymer degradation and changes in CoHAp nanoparticles were probably the result of ion exchange.

P.S.E.25.

GRAFT-COPOLYMERS OF CHITOSAN AND LACTIDE: SOLID-STATE SYNTHESIS AND APPLICATION FOR TISSUE ENGINEERING

T. Demina, T. Akopova, A. Zelenetskii

*Enikolopov Institute of Synthetic Polymer Materials,
Russian Academy of Sciences, Moscow, Russia*

Modification of chitosan, a natural linear polysaccharide, possessed a high potential for biomedical applications is widely proposed to increase its solubility in different mediums as well as to extend its applicability in tissue regeneration and drug delivery systems. In this research, grafting of L,D-lactide side chains onto chitosan have been carried out in a twin-screw extruder under conditions of shear deformation and pressure. Fractional and elemental analysis in combination with IR analysis and GPC showed that processing at different chitosan/L,D-lactide molar ratio and temperature of extrusion leads to formation of graft copolymers with degree of substitution of chitosan amino groups up to 0.41 and degree of lactide polymerization up to 10. The prepared derivatives were used for fabrication of macroporous hydrogels and spherical microcarriers for tissue regeneration.