

Tenth Young Researchers' Conference  
Materials Science and Engineering

December 21-23, 2011, Belgrade, Serbia  
Serbian Academy of Sciences and Arts, Knez Mihailova 35 & 36

**Program and the Book of Abstracts**

Materials Research Society of Serbia  
Institute of Technical Sciences of SASA

December 2011, Belgrade, Serbia

Book title:

Tenth Young Researchers' Conference - Materials Science and Engineering:  
Program and the Book of Abstracts

Publisher:

Institute of Technical Sciences of SASA  
Knez Mihailova 35/IV, 11000 Belgrade, Serbia  
Tel: +381-11-2636994, fax: 2185263  
<http://www.itn.sanu.ac.rs>

Editor:

Prof. Dr. Nenad Ignjatović

Technical Editor:

Aleksandra Stojičić

Printer:

Copy Planet  
Brankova 12, 11000 Belgrade, Serbia  
Tel: +381-11-3036545, fax: 3036546  
<http://www.copyplanet.rs>

Edition:

130 copies

CIP - Каталогизacija у публикацији  
Народна библиотека Србије, Београд

66.017/.018(048)

**YOUNG Researchers' Conference Materials Science and Engineering (10 ; 2011 ; Beograd)**

Program ; and the Book of Abstracts / Tenth Young Researchers' Conference Materials Science and Engineering, December 21-23, 2011, Belgrade, Serbia ; [organized by] Materials Research Society of Serbia and Institute of Technical Sciences of the Serbian Academy of Sciences and Arts ; [editor Nenad Ignjatović]. - Belgrade : Institute of Technical Sciences of SASA, 2011 (Belgrade : Copy Planet). - XV, 62 str. ; 30 cm  
Tiraž 130. - Registar.

ISBN 978-86-80321-27-1

1. Materials Research Society of Serbia (Beograd) 2. Institute of Technical Sciences of SASA (Beograd)

a) Наука о материјалима - Апстрактни b) Технички материјали - Апстрактни  
COBISS.SR-ID 188165900



I/1

### **Design, synthesis and evaluation of non-urea inhibitors of soluble epoxide hydrolase**

Stevan Pecic<sup>1</sup>, Shi-Xian Deng<sup>1</sup>, Christophe Morisseau<sup>2</sup>,  
Bruce D. Hammock<sup>2</sup>, Donald W. Landry<sup>1</sup>

<sup>1</sup>*Department of Medicine, Columbia University, New York, NY, USA,*

<sup>2</sup>*Department of Entomology and UCD Cancer Center, University of California, Davis, CA, USA*

Inhibition of soluble epoxide hydrolase (sEH) has been proposed as a new pharmaceutical approach for treating hypertension and vascular inflammation. The most potent sEH inhibitors reported in literature to date are urea derivatives. However, these compounds have limited pharmacokinetic profiles. We investigated non-urea amide derivatives as sEH inhibitors and identified a potent human sEH inhibitor having potency comparable to urea-based inhibitors.

I/2

### **Synthesis, characterization and sintering properties of Zr-doped hydroxyapatite**

Miodrag J. Lukić<sup>1</sup>, Srečo D. Škapin<sup>2</sup>, Smilja Marković<sup>1</sup>, Dragan Uskoković<sup>1</sup>

<sup>1</sup>*Center for Fine Particles Processing and Nanotechnologies, Institute of Technical Sciences of SASA, Belgrade, Serbia,* <sup>2</sup>*Advanced Materials Department, Jožef Stefan Institute, Ljubljana, Slovenia*

Improving of material characteristics could be achieved in different ways, but it is always connected with the issue of impairing the other functional properties. Hydroxyapatite bioceramics lacks of insufficient mechanical properties for load-bearing implant applications. Nowadays, making of composites, nanostructuring and doping of basic material are some of the promising pathways for hydroxyapatite toughening.

Until now, Zr is not considered as fortifying dopant in hydroxyapatite based materials. However, it could be interesting in the sense of nontoxicity, preserved biocompatibility and incorporation in hydroxyapatite crystal lattice since it possesses lower crystallographic radius.

In this study, preliminary experiments of chemical precipitation are performed to obtain hydroxyapatite with various Zr content. The crystal phase composition, particle size and morphology changes compared to pure hydroxyapatite are studied. Sintering is performed to find appropriate conditions for fabrication of dense material. Vickers hardness and fracture toughness were also measured.