# Serbian Ceramic Society Conference ADVANCED CERAMICS AND APPLICATION II New Frontiers in Multifunctional Material Science and Processing

Serbian Ceramic Society Institute of Chemistry Technology and Metallurgy Institute for Technology of Nuclear and Other Raw Mineral Materials Institute for Testing of Materials Archeological Institute of SASA

# **PROGRAM AND THE BOOK OF ABSTRACTS**

Serbian Academy of Sciences and Arts, Knez Mihailova 35 Sep 30<sup>th</sup> - Oct 1<sup>st</sup>, 2013, Belgrade, Serbia

# **Book title:** Serbian Ceramic Society Conference - ADVANCED CERAMICS AND APPLICATION II: Program and the Book of Abstracts

#### **Publisher:**

Serbian Ceramic Society

#### Editors:

Prof.dr Voja Mitić Dr Nina Obradovic Dr Lidija Mančić

#### **Technical Editor:**

Dr Lidija Mačić

#### **Printing:**

Serbian Academy of Sciences and Arts, *Knez Mihailova 35, Belgrade* Format *Pop Lukina 15, Belgrade* 

#### **Edition:**

100 copies

**Mosaics**: Original Format 30x40 cm Mirjana Milić, Vladimir Skerlić, Maja Opačić, Maša Nicić, Nina Nicić, Milica Konstantinović, Marjan Vesić - Academy od SOC for Fine Arts and Conservation

CIP - Каталогизација у публикацији Народна библиотека Србије, Београд

666.3/.7(048) 66.017/.018(048)

#### SERBIAN Ceramic Society. Conference (2; 2013; Beograd)

Advanced Ceramics and Application : new frontiers in multifunctional material science and processing : program and the book of abstracts / II Serbian Ceramic Society Conference, Sep 30th-Oct 1st, 2013, Belgrade, Serbia ; organized by Serbian Ceramic Society... [et al.] ; [editors Vojislav Mitić, Nina Obradović, Lidija Mančić]. - Belgrade : Serbian Ceramic Society, 2013 (Belgrade : Serbian Academy of Sciences and Arts). - XVI, 61 str. ; 30 cm

Tiraž 100.

ISBN 978-86-915627-1-7 1. Serbian Ceramic Society (Beograd) а) Керамика - Апстракти b) Наука о материјалима - Апстракти с) Наноматеријали - Апстракти COBISS.SR-ID 201203212

## P28 Piezoelectric polymer/ceramic nanostructures for mechanical energy harvesting

V. B. Pavlovic<sup>1,2</sup>, A. Peles<sup>2</sup>, V. P. Pavlovic<sup>3</sup>, V. Djokovic<sup>4</sup>, R. Dojcilovic<sup>4</sup>, M. Dukic<sup>5</sup>, B. Vlahovic<sup>5,6</sup>

<sup>1</sup> FoA, Department of Physics and Mathematics, University of Belgrade, Serbia
<sup>2</sup>Institute of Technical Sciences, Serbian Academy of Sciences and Arts, Belgrade, Serbia
<sup>3</sup>Faculty of Mechanical Engineering, University of Belgrade, Serbia
<sup>4</sup>Vinca Institute of Nuclear Science, University of Belgrade, Serbia
<sup>5</sup>North Carolina Central University, Durham, NC, USA
<sup>6</sup>NASA University Research Center for Aerospace Device Research and Education and NSF Center of Research Excellence in Science and Technology Computational Center for Fundamental and Applied Science and Education, North Carolina, USA

Vibration-based mechanical energy is one of the most accessible energy source in the surroundings. Harvesting this type of energy exhibits a great potential for remote/wireless sensing, charging batteries, and powering electronic devices. Piezoelectric and ferroelectric materials, including PZT, BaTiO<sub>3</sub>, ZnO, polyvinylidene fluoride (PVDF), etc., can be used for converting ambient mechanical energy into electricity. Based on these materials, a variety of micro- or nanoelectromechanical systems can be developed for harvesting energies from random vibrations, mechanical waves, or body movements like walking, running, or typing. Recent investigations on nanocomposites of electroactive ceramics and ferroelectric polymers exploit this approach in order to produce new multifunctional materials for mechanical energy harvesting. Taking into account that mechanical activation is one of the methods for modification of physico-chemical properties of the filler, in this study we investigate the influence of mechanical activation of ZnO particles on structural properties of ZnO/polyvinylidene fluoride nanocomposites. The nanocomposite films were prepared by solution casting method and investigated by X-ray diffraction (XRD) method and Raman spectroscopy, while the microstructure morphology has been analyzed by scanning electron microscope (SEM). Presented results will enable optimization of PVDF processing techniques for the production of new mechanical energy harvesting devices.

#### P29

### Pulsed Laser Deposition of BaTiO<sub>3</sub> on PVDF substrate

V. P. Pavlovic<sup>1</sup>, M. Wu<sup>2</sup>, V. Djokovic<sup>3</sup>, M. Dukic<sup>2</sup>, V. B. Pavlovic<sup>4,5</sup>

<sup>1</sup>Faculty of Mechanical Engineering, University of Belgrade, Serbia
<sup>2</sup>North Carolina Central University, Durham, NC, USA
<sup>3</sup>Vinca Institute of Nuclear Science, University of Belgrade, Serbia
<sup>4</sup>FoA, Department of Physics and Mathematics, University of Belgrade, Serbia
<sup>5</sup>Institute of Technical Sciences, Serbian Academy of Sciences and Arts, Belgrade, Serbia

Piezoelectric materials play an important role in development of advanced Micro-electromechanical systems (MEMS) and Nano-electro-mechanical systems (NEMS). Their applications span the aero-space industry, communications, defense systems, national security, health care, information technology and environmental monitoring. Materials used in MEMS/NEMS must