

Supplementary information for the article:

Jugović, D., Milović, M., Popović, M., Kusigerski, V., Škapin, S., Rakočević, Z., Mitrić, M., 2019. Effects of fluorination on the structure, magnetic and electrochemical properties of the P2-type Na_xCoO_2 powder. *Journal of Alloys and Compounds* 774, 30–37. <https://doi.org/10.1016/j.jallcom.2018.09.372>

Supplementary Information

Effects of fluorination on structure, magnetic and electrochemical properties of the P2-type Na_xCoO_2 powder

Dragana Jugović^a, Miloš Milović^a, Maja Popović^b, Vladan Kusigerski^b, Srečo Škapin^c, Zlatko Rakočević^b, and Miodrag Mitrić^{b*}

^aInstitute of Technical Sciences of SASA, Knez Mihailova 35/IV, 11 000 Belgrade, Serbia

^bVinča Institute of Nuclear Sciences, University of Belgrade, P.O. Box 522, 11 001 Belgrade, Serbia

^cJožef Štefan Institute, Jamova 39, SI-1000 Ljubljana, Slovenia




Figure S1. The evolution of FTIR spectra during the synthesis of pristine Na_xCoO_2 .




Figure S2. X-ray diffractograms taken at different stages of a solid-state reaction between Na_2CO_3 , Co_3O_4 , and NaF . The patterns at the bottom are taken from ICDD PDF database as reference patterns for phase identification.