### Programme & The Book of Abstracts

Twentieth Annual Conference

# YUCOMAT 2018

Herceg Novi, Montenegro, September 3-7, 2018

organised by













### TWENTIETH ANNUAL CONFERENCE

## **YUCOMAT 2018**

Hunguest Hotel Sun Resort Herceg Novi, Montenegro, September 3-7, 2018 http://www.mrs-serbia.org.rs

## Programme and The Book of Abstracts

Organised by: **Materials Research Society of Serbia** 

Endorsed by:

Materials Research Society,

European Materials Research Society

and

Federation of European Material Societies

Title: THE TWENTIETH ANNUAL CONFERENCE

**YUCOMAT 2018** 

Programme and The Book of Abstracts

**Publisher:** Materials Research Society of Serbia

Knez Mihailova 35/IV, P.O.Box 433, 11000 Belgrade, Serbia

Phone: +381 11 2185-437 http://www.mrs-serbia.org.rs

Editors: Prof. Dr. Dragan P. Uskokovi and Prof. Dr. Velimir R. Radmilovi

Technical editor: Sava Stoisavljevi

Front cover: Modified Photo by Hons084; Wikimedia Commons (https://commons.wikimedia.org/wiki/File:Widoki z twierdzy Forte Mare na Herceg Novi 03

<u>.jpg</u>); CC BY-SA 4.0

Back cover: Modified Photo by Dani Lavi 0007; Wikimedia Commons

(https://commons.wikimedia.org/wiki/File:Belgrade\_at\_night.jpg); CC BY-SA 4.0

Copyright © 2018 Materials Research Society of Serbia

**Acknowledgments:** This conference is celebrating 20 years of YUCOMAT



**Printed in:** Biro Konto

Sutorina bb, Igalo – Herceg Novi, Montenegro

Phones: +382-31-670123, 670025, E-mail: bkonto@t-com.me Circulation: 220 copies. The end of printing: August 2018

#### TWENTIETH ANNUAL CONFERENCE YUCOMAT 2018 Herceg Novi, September 3-7, 2018

O.S.III.2.

## Cell-selective toxicity of hydroxyapatite-chitosan oligosaccharide lactate particles loaded with a steroid cancer inhibitor

Nenad Ignjatovi <sup>1</sup>, Marija Saka <sup>2</sup>, Ivana Kuzminac<sup>2</sup>, Vesna V. Koji <sup>3</sup>, Smilja Markovi <sup>1</sup>, Victoria Wu<sup>4</sup>, Vuk Uskokovi <sup>5</sup>, Dragan Uskokovi <sup>1</sup>

Institute of Technical Sciences of the Serbian Academy of Science and Arts, Knez Mihailova 35/IV, P.O. Box 377, 11000 Belgrade, Serbia; <sup>2</sup>University of Novi Sad, Faculty of Sciences, Department of Chemistry, Biochemistry and Environmental Protection, Trg Dositeja Obradovi a 3, 21000 Novi Sad, Serbia; <sup>3</sup>University of Novi Sad, Faculty of Medicine, Oncology Institute of Vojvodina, Put Dr Goldmana 4, Sremska Kamenica 21204, Serbia; <sup>4</sup>Advanced Materials and Nanobiotechnology Laboratory, Irvine, USA; <sup>5</sup>Department of Bioengineering, College of Medicine and College of Engineering, The University of Illinois at Chicago, Chicago, 851 South Morgan Street, Chicago, IL 60607-7052, USA

The applicative potential of synthetic calcium phosphates, especially hydroxyapatite (HAp), has become intensely broadened in the past 10 years, from bone tissue engineering to multiple other fields of biomedicine. Hybrid systems based on nano hydroxyapatites (HAp) are the subject of numerous studies in preventive and regenerative medicine. HAp nanoparticles coated with bioresorbable polymers have been successfully used as fillers, carriers of antibiotics, vitamins and stem cells in bone tissue engineering, etc. In this study we utilize an emulsification process and freeze drying to load the hybrid system made of nano HAp particles coated with chitosan oligosaccharide lactate (ChOSL) with two different but similar steroid derivatives: 3 -hydroxy-16-hydroxymino-androst-5-ene-17-one (A),  $C_{19}H_{27}NO_3$  and 3 , 17 -dihydroxy-16-hydroxymino-androst-5-ene (B),  $C_{19}H_{29}NO_3$ . The cell-selective toxicity of HAp particles coated with of A- or B-loaded ChOSL was examined simultaneously on the following cell lines: human breast carcinoma (MCF-7, MDA-MB-231), human lung carcinoma (A549) and human lung fibroblasts (MRC-5), using dye exclusion (DET) and MTT assays.

1H NMR, 13C NMR and high-resolution time-of-flight mass spectrometry (MS) techniques confirmed the intact structure of the derivatives A or B. FT-IR, XRD, DTA, TGA and DSC techniques confirmed the drug loading process of steroide (A or B) in core–shell particles based on nano hydroxyapatite. Atomic force microscopy and particle size analyses were used to confirm that the particles were spherical with sizes between 80 and 240 nm. The measured values of electrokinetic parameters (zeta potential, electrophoretic mobility and conductivity) were significantly different for the steroid free carrier (HAp/ChOLS) and A- or B-loaded ChOSL. The value of the topological molecular polar surface area (TPSA, the sum of the surfaces of polar atoms and groups in the molecule), were also different for drug free carrier and A- or B-HAp/ChOLS. Highly selective anticancer activity was noted towards breast cancer cells (MDA-MB-231) by B-loaded HAp/ChOLS. DET testing after 48 hours (after incubation and recovery) of the treatment with A-HAp/ChOSL and B-HAp/ChOSL particles showed a high viability of healthy cells (over 80%). The lowest viability was found in MDA-MB-231 cancer cells treated with B-HAp/ChOSL (28%). The obtained results of the DET and MTT tests showed that the particles of A-HAp/ChOLS exhibited nearly four-fold greater cytotoxicity towards breast cancer

#### TWENTIETH ANNUAL CONFERENCE YUCOMAT 2018 Herceg Novi, September 3-7, 2018

cells (MDA-MB-231) than towards healthy cells (MRC-5). B-HAp/ChOSL particles exhibited nearly six times greater cytotoxicity to all breast cancer cells than to healthy ones.

O.S.III.3.

#### Synthesis of antimicrobial cobalt ferrite/gold nanocomposites

Sonja Jovanovi <sup>1,2</sup>, Lea Udovc<sup>1</sup>, Jelena Rmuš<sup>2</sup>, Matjaz Spreitzer<sup>1</sup>, Marija Vukomanovi <sup>1</sup>Institute Jožef Stefan, Advanced Materials Department, Ljubljana, Slovenia; <sup>2</sup>University of Belgrade, Vinca Institute of Nuclear Sciences, Laboratory of Physics, Belgrade, Serbia

Combining antimicrobial and magnetic properties is foreseen as a good option in designing novel generations of antimicrobials. It is expected that this type of materials will be capable of targeted and localized activity that can be removed upon demand.

In the present work, we present our work on designing antimicrobial nanocomposites based on amino acid-functionalized gold nanoparticles (AuNPs) and cobalt ferrite nanoparticles (CFO NPs). Initially, the hydrophobic CFO NPs were synthesized via solvothermal method with oleic acid as a surface capping agent. In order to use CFO NPs for bio-application the ligand exchange was performed. As-prepared hydrophilic CFO NPs were sonochemically combined with functionalized gold and further characterized by X-ray powder diffraction (XRD), transmission electron microscopy (TEM), Fourier transform infrared spectroscopy (FT-IR) and superconducting quantum interference device (SQUID).

Synthesized materials were identified as nanocomposites with CFO and gold phases. Morphologically they contained larger AuNPs (approx. 20 nm in diameter) surrounded with smaller 5-nm sized CFOs. The surface of NPs was decorated with specific ligands, which provided them special functionality. The magnetic measurements confirmed their paramagnetic nature while antimicrobial tests proved their bacteriostatic activity against E. coli, S.epidermidis and P.aeruginosa. We will discuss about optimization of surface properties to provide the most optimal combination of magnetic and antimicrobial activity of the composite.

66.017/.018(048)

## MATERIALS Research Society of Serbia (Beograd). Conference (20; 2018; Herceg Novi)

Programme; and The Book of Abstracts / Twentieth Annual Conference YUCOMAT 2018, Herceg Novi, September 3-7, 2018; organised by Materials Research Society of Serbia; [editors Dragan P. Uskokovi and Velimir R. Radmilovi]. - Belgrade: Materials Research Society of Serbia, 2018 (Herceg Novi: Biro Konto). - XLIV, 159 str.: ilustr.; 23 cm

Tiraž 220. - Bibliografija uz pojedine apstrakte. - Registar.

ISBN 978-86-919111-3-3

1. Materials Research Society of Serbia (Beograd)

a) -

b) -

COBISS.SR-ID 266944524